

# MonaLisa Touch® Post-Internal Treatment Instructions

MonaLisa Touch® Laser stimulates new collagen production which helps promote improved gynecological health.

## Possible side effects associated with the laser treatment are:

- Vaginal spotting or mild vaginal bleeding.
- Pink, brown or watery vaginal discharge.
- Burning with urination.
- Vaginal irritation or discomfort.

### **Post-treatment Instructions:**

- Refrain from exercise and sexual activity for 7-days after treatment.
- Most patients resume normal activity, as tolerated immediately after procedure.

If you have any questions about these instructions or the procedure, please call the Couri Center at 309-692-6838.



# MonaLisa Touch® Post-External Treatment Instructions

The MonaLisa Touch® Laser stimulates new collagen production which helps promote improved vulvar health.

## Possible side effects associated with the laser treatment are:

- Skin may feel sensitive and may be red, swollen, inflamed and tender.
- Skin may have pinpoint bleeding.
- Burning sensation and/or burning with urination.
- Treated area may be itchy.

### **Post-Treatment Instructions:**

- Refrain from exercise for 3-4 days after treatment.
- Refrain from sexual activity for 7 days after treatment.
- Use cold compresses or gel packs (20 minutes on; 20 minutes off) as needed for swelling and discomfort.
- Gently cleanse the area **2-times** daily **for 3 days** with hypoallergenic cleanser like unscented Dove or Ivory soap.
- Apply occlusive ointment such as **Aquaphor**® or **Recticare**® (available over the counter, at most pharmacies) after each wash and as needed for discomfort.
- Wear loose cotton underwear; avoid wearing pantyhose or tight fitting pants.

If you have any questions about these instructions or the procedure, please call the Couri Center at: 309-692-6838.